



Mailing: P.O. Box 551
Location: 11545 Brentwood, Blvd.
Brentwood, CA 94513
Phone (925) 634-4748; Fax (925) 634-9783
Email: ucemetery@yahoo.com
Web: unioncemeterydistrict.com

Rules For Headstone Placement Section F

These rules and regulations are not a substitution for any existing rules and regulations governing the placement of markers in any other portion of Union Cemetery.

All markers placed in Section F shall be limited to placement upon the designated headstone pads provided by the District. All markers placed on the concrete pads shall be no "deeper" (measured front to back) than 18 inches.*

All markers in this section shall conform to the same "length" as markers placed in other parts of the cemetery.

The maximum size allowed per grave is 18 inches* wide (deep) and 42 inches* long. For a marker of this size the monument company must install vases or core holes. This applies to both single graves and double-depth graves.

No Section F marker shall stand more than 42 inches* tall. *This height includes any concrete, granite, or marble bases, supplied by the monument dealer.*

Each marker shall be flat on the bottom so that it can be installed on the concrete pad. Only one headstone will be allowed per gravesite.

When opening a new grave, it may become necessary to move one or more marker(s) *that are already installed on existing graves.* Therefore, markers *will* be installed in such a way that their movement will be possible.

All marker must be set by a monument company, pre-approved and the placement must be prescheduled in advance, with the District office.

Please do not permanently attach anything to the concrete pad.

****If the marker has a rock pitch, you must decrease each side by no less than 1 inch.***